Item 3c 15/00482/FULMAJ

Case Officer Nicola Hopkins

Ward Chorley South East

Proposal Erection of 70 dwellings, associated garaging, car parking and

access arrangements

Location Duxbury Park Phase 2 Between Myles Standish Way And

Duxbury Gardens, Myles Standish Way

Applicant Rowland Homes

Consultation expiry: 8th August 2015

Decision due by: 19th August 2015

Recommendation

Approve full planning permission subject to the associated S106 Agreement

Executive Summary

This site already has consent for 70 dwellings and as such the main issues to consider are the changes to the proposed layout when compared to the approved housing layout for this site.

Representations

The Chorley South East Ward Councillors have made the following comments:

- Agree with a number of the points raised by Duxbury Garden residents who we have spoken to.
- When this development was first put forward for planning, this was after an extensive consultation process undertaken by United Utilities. As a result of this process, the residents' concerns about being overlooked, or overlooking, and issues around privacy and noise, were taken into account and the plans were amended accordingly.
- We now have Rowland homes, going back to virtually the original plans and totally disregarding the consultation process. This we find unacceptable as a lot of time and effort from all sides were put into the consultation and surely this should help inform any plans for the site as previously.
- We would urge Rowland Homes to re look at the plans for the site to make sure that neighbours amenities and comments are given full consideration. If this means deferring the plans to a later committee date then so be it.

In total 9 representations have been received which are summarised below				
Objection	Not specified			
Total No. received: 7	Total No. received:2			
 Removal of promised planting to the rear of the existing properties Resiting of affordable dwellings Windows proposed facing existing dwellings Request no windows are built onto the side of the dwellings facing existing properties. Plot number 48 is extremely close to the fence line. The corner of plot number 48 is touching the fence line which does not seem appropriate. The construction process will disturb family life due to the proximity of the building work, alongside a high risk of possible disturbance to the foundations alongside the fence line. A large number of hedgehogs in the area- building work would disturb the area's wildlife. Loss of light 3 more trees will be planted in place of the existing trees next to number 28 Duxbury Gardens however request that the landscaping adds to this and puts a run of evergreen trees along the boundary fence so as to maintain the privacy of the dwellings at the end of the cul-de-sac, reduce overlooked and add to privacy for the new dwellings. 	 Request that the 2 birch trees (ref. BET JAC and BET PEN) are replaced with a different type of tree due to the neighbour's severe pollen allergy Previous plans showed existing properties not being overlooked with the nearest new property being "gable side on ". It is queried whether this is still the case. 			

- Lack of developer consultation with neighbours
- Noise concerns
- All residents agreed that the original plans- 13/00178/FULMAJ –took concerns on board. New plans have changed significantly at the back of the site and this directly affects Duxbury Gardens residents.
- Duxbury Garden houses affected, except no 29, are 3 storey designed, as already noted, with living room on first floor and two bedrooms on second floor at the back-all will overlook plots 45-47 with Duxbury Gardens numbers 30, 31(my families) looking directly into numbers 45-47. Therefore not maintaining the sympathetic layout and design in original layout in original approved scheme.
- Loss of privacy for the proposed plots and privacy issues for the exitsing houses
- With 8 houses now potentially being built in an area of original approved scheme where there was only 3 will lead to a great deal more noise and disturbance due to more family members and also with each house having two parking spaces this means the potential of 16 cars instead of six.
- Inaccuracies in the actual Planning and Design Statement-this cannot be legally correct or at least, not in the spirit or principles of the original approved scheme.
- The environmental impact of natural habitat being eroded, meant the
 putting up of many 'bat boxes' into the trees that have now been felled.
 The current landscape is now decimated.
- Rowland Homes: there has been absolutely no contact with households or consultation of any kind

Consultees

Consultee	Summary of Comments received
Lancashire Constabulary Designing Out Crime Officer	Has made some recommendations to reduce the risk of crime affecting the residents, visitors and immediate locality, should planning permission be granted.
Environment Agency	No further comments to make further to initial response regarding the approved Flood Risk Assessment (FRA) (February 2013) and FRA amended letter dated 25 April 2013

Strategic Housing	The type and tenure of Affordable Housing proposed matches what was previously required for the
	13/00178/FULMAJ application and is therefore acceptable to Strategic Housing.
Lead Local Flood Authority	No objection subject to appropriate conditions
LCC Highways	No objection
CBC Waste and Contaminated Land	Satisfied with the submitted report and for the development to proceed in accordance with the recommendations
Officer	made in this report

Assessment

Proposed Development

- 1. The application site is located within Chorley Town and is accessed via Myles Standish way. This site forms part of a larger site than was historically occupied by United Utilities the remainder of the site is being developed for housing by Arley Homes.
- 2. The application site itself is adjacent to Duxbury Gardens and the Arley Homes residential estate to the north (currently under construction). To the south of the site is Myles Standish Way, from which the site already has an established vehicular access.
- 3. The application is submitted by Rowland Homes to erect 70 dwellings on the part of the site which was previously identified for employment use.

History of the site

- 4. The application site is part of a larger area previously granted outline approval (08/01044/OUTMAJ) for a mixed use development comprising up to 200 residential units and 10,800m² of B1 employment use. The current application relates to the previously approved area for B1 employment use.
- 5. In 2011, a reserved matters application (10/00946/REMMAJ) was approved for the development of 135 dwellings on the residential part of the site. Development of this part of the site is currently in progress and is close to completion.
- 6. Following the grant of full planning permission for residential development on part of the site, United Utilities applied to erect 70 dwellings on the part of the site (13/00178/FULMAJ) which was previously approved for employment use. This permission was granted in August 2013 and as such the acceptability of the principle of housing on this part of the site has been established.

Principle of the Development

7. The application site is allocated in the Chorley Local Plan (Policy HS1.2) for residential development and as such the principle of erecting houses on this site is considered acceptable.

Density

- 8. Policy 5 (Housing Density) of the Adopted Central Lancashire Core Strategy states that National Policy no longer sets out an indicative density of 30 dwellings per hectare(dph). However, in suburban and rural locations a density of 25-35 dph is typical.
- 9. Policy 5 also states that density is an important consideration in any proposed housing scheme, however, the key objective is to achieve high quality design that responds to the character of the area in terms of existing density.
- 10. The application site extends to an area of approximately 2.4 hectares. The provision of 70 dwellings on the site therefore equates to a density of 29 dwellings per hectare (dph). The density of the scheme allows for the construction of family dwellings with private amenity space reflecting current market trends. This density also takes into account the topography of the site which has significant implications on the layout of the site.
- 11. The Arley Homes scheme to the north comprises 126 dwellings and covers an area of approximately 4.7 hectares equating to a density of approximately 26dph. Although 135 dwellings were originally approved the plans have been amended to incorporate 126 dwellings. The proposed densities are shown to be comparable and the density proposed at the application site would therefore reflect that already established in the surrounding area. As such, the proposed density of the development is considered to be in accordance with Policy 5 of the Adopted Central Lancashire Core Strategy.

Impact on neighbour amenity and levels

12. The immediate neighbours to the proposed development are the properties to the north and west of the application site. The majority of these properties comprise the newly

- constructed Arley Homes dwellings at the adjacent part of the site and a number of older dwellings on a site known as Duxbury Gardens.
- 13. 28 Duxbury Gardens is a two storey detached dwellinghouse located to the north of proposed plot 48. 28 Duxbury Gardens has a blank gable wall facing plot 48 and the proposed dwelling on plot 48 is a Renishaw house type with a blank gable wall facing the common boundary with 28 Duxbury Gardens. Plot 48 is proposed to have a similar finished floor level as the existing house resulting in no significant level change between the properties. Given the proposed siting of dwelling in relation to the existing dwelling, it is not considered that the proposals will result in loss of amenity to the detriment of the existing residents.
- 14. Plots 46 and 47 face the side garden area of 29 Duxbury Gardens however due to the existing garage at 29 Duxbury Gardens these plots will not enable direct overlooking of the private garden space of the existing property. Although it is noted that the proposed dwellings, in particular plot 46, will directly face the rear garden area of 29 Duxbury Gardens approximately 10m is retained from the rear of the proposed dwelling to the garden boundary in accordance with the Council's spacing standards.
- 15. Plots 43-45 are proposed to back onto 29-32 Duxbury Gardens. The existing properties comprise two storey dwellings (29 and 32) and 2.5 storey dwellings with room in the roof space incorporating dormer windows (30 and 31). The proposed properties are slightly offset in terms of their siting. However the layout maintains in excess of 10m long gardens and at least 21 metres is maintained between the rear elevation of the proposed dwellings and the existing dwellings. The proposed dwellings are two storey houses which form part of the affordable housing provision on the site. The proposed properties are approximately 0.3m lower than the existing properties ensuring that the spacing distances maintained are appropriate.
- 16. Concerns have been raised by some residents of Duxbury Gardens and the Ward Councillors that this part of the site was amended during the consultation with United Utilities so that there were no new houses backing onto the existing houses with the gable end of the new dwellings adjacent to the boundary with the existing houses. It was queried with Rowland Homes whether this part of the site could be amended in line with the previous approval. However this is not possible as there is a necessary sewer easement which runs across the proposed rear gardens of plots 43 to 47. The agent for the application has confirmed that the previous application did not take account of this easement in the approved layout and as such this allowed for houses in this location to orientated differently. The relationship between proposed plots 43 to 47 and existing houses on Duxbury Gardens has been considered to ensure that interface distances are met and privacy is maintained for existing residents.
- 17. 33-35 Duxbury Gardens face the side gable and rear garden of proposed plot 42. The dwelling on this plot is proposed to be a two storey three bedroomed dwelling which is one of the affordable units on the site. In excess of 13m is retained between the near edge of 33 Duxbury Gardens and the gable of plot 42 which exceeds the Council's standard spacing distances. 34 and 35 Duxbury Gardens are 2.5 storey dwellings which face the rear garden of plot 42. In excess of 15 metres is retained between the rear of these properties and the boundary with the garden which exceeds the required 10m. The proposed dwelling on plot 42 is approximately 0.05m lower than the existing dwellings ensuring that the spacing distances maintained are appropriate (this level difference was amended during the application process increasing the proposed slab level from 74.70 to 75.15 which is mid-way between the slab levels of 75.00 and 75.30 that are shown on the approved layout and to replicate the finished floor levels of the existing properties on Duxbury Gardens. Although the dwellings on Duxbury Gardens extend to 3 storeys in height, with habitable room rear windows on all levels, it is considered that the spacing distances maintained will protect the amenities of the existing and future residents.
- 18. 8 and 10 Duxbury Manor Way are located to the west of plots 40-42. The newly built properties are 2.5 storey dwellings with a rear roof dormer. However this dormer serves a

bathroom with obscure glazing and as such the interface consideration in respect of the existing and proposed dwellings relate to the ground and first floor windows. The proposed dwellings have a proposed finished floor level between 0.75m and 0.9m lower than the existing dwellings which require a 2m increase in the Council's standard spacing distances. However this reflects the previously approved layout in respect of this part of the site and as such this relationship has already been established as acceptable.

- 19. The rear of 6 Duxbury Manor Way faces the rear garden of plot 37. This newly built property is a 2.5 storey dwelling with a rear roof dormer. However this dormer serves a bathroom with obscure glazing and as such the interface consideration relates to the ground and first floor windows. 6 Duxbury Manor Way is approximately 1.32m higher than the proposed property on plot 37. However this reflects the previously approved layout in respect of this part of the site which retained 10m from the rear of 6 Duxbury Manor Way to the garden area. As such this relationship has already been established as acceptable.
- 20. Plot 36 is located adjacent to 13 Shireburne Drive and will be constructed at a land level approximately 1m lower than the existing dwelling. It is proposed that the side gable of the proposed dwelling will be adjacent to the side gable of the existing dwelling to create an acceptable relationship. Plot 36 is a Belgrave House type which does not have any windows in the side gable facing 13 Shireburne Drive
- 21. Plot 35 backs onto 19 and 21 Shireburne Drive and is proposed to be a two storey detached dwelling built at a land level approximately 1.2m lower than the existing dwelling. Given the level change there is a requirement to provide 23m window to window distance which is achieved in respect of this relationship.
- 22. 33-37 Shireburne Drive back onto the side gable of plot 32 and are approximately 2m higher than the proposed dwelling. There is approximately 12m retained between the existing houses and the proposed houses. The proposed houses are two storey dwellinghouses and with the level difference this ensures that the occupiers of the existing properties will not be facing a large two storey blank gable wall. This relationship is considered to be acceptable.
- 23. The Council's spacing standards are applied to ensure that an adequate amount of privacy and amenity is provided for the existing and future residents. The application is supported by various sectional drawings which demonstrate the difference in levels between the proposed dwellings. The main areas of concern relate to:
 - 23 and 25 Shireburne Drive overlooking the garden of plot 33,
 - 39-43 Shireburne Drive overlooking the garden of plot 32 and
 - The relationship of plots 26-28 with 37 Duxbury Manor Way.
- 24. 23 and 25 Shireburne Drive face the rear garden area of plot 33 and are approximately 0.65m higher than the proposed dwelling. 10m is retained to the rear garden boundary which is considered to be acceptable.
- 25. 39-43 Shireburne Drive back onto the proposed rear garden area of plot 32 and are approximately 2.3m higher. Given the level change there is a requirement to provide 17m long gardens which is not retained in this case.
- 26. Proposed plots 26-28 back onto 37 Duxbury Manor Way and will be built approximately 5.78m lower in land levels. Applying the increase in spacing required by the Council's standards due to the significant level changes across the site would result in a significant amount of space retained between dwellings. This is the case in respect of this relationship which would require 42m rear window to rear window where only approximately 26m is retained.
- 27. The sectional plan demonstrates the extent of views from the ground and first floor windows. The proposed and existing rear boundary treatments along with the level difference ensures that there will not be any loss of privacy or amenity for the future

residents which address the purposes of applying separation distances. This replicates the arrangement of houses on the adjacent Arley homes site which had to address similar level changes.

- 28. Plots 24-25 back onto the rear garden are of 41 Duxbury Manor Way, however given that these properties are approximately 4.7m lower than the existing property the proposed dwellings will not create overlooking to the detriment of the neighbours amenities.
- 29. Internally within the site plot 13 only has a 9.5m long garden which is slightly below the required 10m. However the future residents will be aware of this relationship when they purchase the property.
- 30. During the consideration of the application the finished floor levels to Plots 5/6 and 10 have been altered so that the differential between Plots 5 and 10 is now 0.85m (previously 1.09m) and Plots 6 and 10 is now 1.15m (previously 1.44m). The distance retained between plots 5 and 10 is 21.5m and plots 6 and 10 is 22.5m. This is only slightly below the required spacing distances (given the finished floor level difference) and are considered to be acceptable.
- 31. The proposed details include 0.9m high fences to delineate rear gardens. The applicants have been advised that such fencing details will not provide private rear gardens and as such are unacceptable. Submission of appropriate fencing will therefore be required by condition.

Affordable housing

- 32. In accordance with Policy 7 of the Adopted Central Lancashire Core Strategy the development is required to provide 30% affordable housing. The proposed development would result in 70 new dwellings and so in accordance with current policy; the scheme should provide 21 affordable units.
- 33. The development provides 21 affordable homes comprising:
 - 13 two bedroom houses- social rented
 - 2 three bedroom houses- social rented
 - 6 three bedroom houses- intermediate sale (shared ownership)
- 34. The affordable units are identified on plots 18-32 in the western end of the site and on plots 40-45 at the northern end of the site. As noted above concerns have been raised about the location of the affordable housing which differs from the previously approved scheme on this site. However the Adopted Affordable SPD encourages the dispersal of affordable housing units within residential development to promote mixed communities and minimise social exclusion. It is considered that siting the proposed affordable houses within two parts of the site accords with the aspirations of the SPD.
- 35. As such, it is considered the proposed development would provide adequate affordable housing on site in accordance with Policy 7 of the Adopted Central Lancashire Core Strategy.

Sustainable Resources

36. Policy 27 of the Core Strategy currently requires dwellinghouses to be built to meet Code for Sustainable Homes Level 4 which increases to Level 6 on 1st January 2016. However the 2015 Deregulation Bill received Royal Assent on Thursday 26th March 2015 which effectively removes Code for Sustainable Homes. The Bill does include transitional provisions which include:

"For the specific issue of energy performance, local planning authorities will continue to be able to set and apply policies in their Local Plans which require compliance with energy performance standards that exceed the energy requirements of Building Regulations until commencement of amendments to the Planning and Energy Act 2008 in the Deregulation Bill 2015. This is expected to happen alongside the introduction of zero carbon homes policy in late 2016. The government has stated that, from then, the energy

performance requirements in Building Regulations will be set at a level equivalent to the (outgoing) Code for Sustainable Homes Level 4. Until the amendment is commenced, we would expect local planning authorities to take this statement of the government's intention into account in applying existing policies and not set conditions with requirements above a Code Level 4 equivalent."

"Where there is an existing plan policy which references the Code for Sustainable Homes, authorities may continue to apply a requirement for a water efficiency standard equivalent to the new national technical standard, or in the case of energy a standard consistent with the policy set out in the earlier paragraph in this statement, concerning energy performance."

37. As such there will be a requirement for the dwellings hereby approved to achieve a minimum Dwelling Emission Rate of 19% above 2013 Building Regulations in accordance with the above provisions.

Trees and landscape

- 38. The application site is essentially split into two sections, the first being to the west and the second to the east of the existing access road.
- 39. The part of the site to the west is that which involves the greatest change in levels and rises significantly in an east-west direction, parallel with the properties already erected to the north of the site. This part of the site has already been cleared of any vegetation and is currently vacant.
- 40. The part of the site to the east has been left in more of a natural state and currently includes a number of trees, shrubs and grassland. An Arboricultural Constraints Appraisal has been submitted with the application which includes details of all the trees on site.
- 41. 12 individual trees form part of the appraisal which reflects the 12 trees already protected on this site (TPO 6 (Chorley) 2013). All of the trees are identified for retention and include appropriate root protection areas to ensure the continued protection of the trees during the construction process.
- 42. Concerns have been raised by one neighbour in terms of the types of trees originally proposed due to an existing resident having a pollen allergy, however the plans have been amended to replace these trees.

Ecology

- 43. Bowland Ecology Ltd was commissioned by Rowland Homes Ltd to undertake an extended Phase 1 Ecology Survey and desk study of the site at Duxbury Park, Chorley (NGR: SD 588 160). The extended Phase 1 survey aimed to update phase 1 surveys previously undertaken by United Environmental Services in 2008 and Bowland Ecology Ltd in 2012 in support of planning application that has been granted to develop the site.
- 44. The submitted information is currently being considered by Greater Manchester Ecology Unit and any comments they make will be reported on the addendum.

Drainage and Sewers

- 45. Part of the site falls within a Flood Zones 2 and 3. As such a Flood Risk Assessment & Drainage Strategy (FRA) has been submitted as part of the application. The Environment Agency commented on the previous application at this site and raised no objection subject to suitable conditions.
- 46. Surface water drainage is now the responsibility of Lancashire County Council as the Lead Local Flood Authority (LLFA) who have no objection to the proposals subject to the imposition of suitable conditions. These mainly relate to the inclusion of a surface water sustainable drainage scheme as they have commented that the FRA submitted as part of this application does not include evidence of surface water run-off rates. As this application relates to previously developed land, the LLFA would request that further

calculations are to be completed and the LLFA requests to be formally consulted on these. The FRA also states that there will be a requirement to attenuate surface water due to the increase in impermeable area as a result of the development. The final requirements of this attenuation have not been finalised and the LLFA would again request to be consulted on these proposals. This will be addressed by condition.

Open Space

47. The Open Space and Playing Pitch SPD was adopted for development control purposes at the Council meeting on 17th September 2013. The following requirements are based upon the standards within Local Plan Policies HS4A and HS4B and the approach in the SPD.

Amenity Greenspace

48. There is currently a deficit of provision in the Chorley South East ward in relation to this standard, a contribution towards new provision in the ward is therefore required from this development. The amount required is £140 per dwelling.

Provision for children/young people

- 49. There is currently a surplus of provision in the Chorley South East ward in relation to this standard, a contribution towards new provision in the ward is therefore not required from this development. The site is also not within the accessibility catchment (800m) of any areas of provision for children/young people that are identified as being low quality and/or low value in the Open Space Study. A contribution towards improvements is therefore also not required from this development.
- 50. It is also important to note that the adjacent development for 126 dwellings provided 0.35 hectares of open space provision including an equipped play area. The minimum size of play area required for the adjacent development was 0.08 hectares which meant that extra provision was made in that case. As such, taking into account the fact that an oversupply of equipped play space was provided immediately adjacent to the application site there is no justification for additional equipped play space.

Parks and Gardens

51. There are no parks/gardens within the accessibility catchment (1,000m) of this site identified as being low quality and/or low value in the Open Space Study therefore a contribution towards improving existing provision is not required.

Natural and Semi-Natural Greenspace

52. There is no requirement to provide new natural/semi natural greenspace on-site within this development. The site is within the accessibility catchment (800m) of areas of natural/semi-natural greenspace that are identified as being low quality and/or low value in the Open Space Study (sites 1725 – Between St Gregory's Place/Burgh Meadows and 1827 – Plock Wood, Lower Burgh Way), a contribution towards improving these sites is therefore required. The amount required is £557 per dwelling.

Allotments

53. There is no requirement to provide allotment provision on site within this development. The site is within the accessibility catchment (10 minutes' drive time) of proposed new allotment sites at Land at Sylvesters Farm, Euxton (HW5.2) and Harrison Road, Adlington (HW5.3). A contribution towards new allotment provision is therefore required from this development. The amount required is £15 per dwelling.

Playing Pitches

54. A Playing Pitch Strategy was published in June 2012 which identifies a Borough wide deficit of playing pitches but states that the majority of this deficit can be met by improving existing pitches. A financial contribution towards the improvement of existing playing pitches is therefore required from this development. The Playing Pitch Strategy includes an Action Plan which identifies sites that need improvements. The amount required is £1,599 per dwelling.

55. As 70 dwellings are proposed to total POS contribution equates to £161,770

Contamination and Coal Mines

- 56. Due to nature of the type of training that took place on site for both water and electricity industries there may be issues with contaminated land in some parts of the site. In addition to this, it is thought that there may be mine shafts across the site.
- 57. In this regard a Phase I & Phase II Geo-Environmental Site Investigation has been undertaken which has been reviewed by the Council's Waste and Contaminated Land Officer. The Officer is satisfied with the report and for the development to proceed in accordance with the recommendations made in this report. This can be addressed by condition.

Highways

- 58. LCC Highways have reviewed the proposals and confirmed that they have no objection subject to all the highway conditions and advice notes attached to the previous approval. The Highway Engineer has also commented that the highway contributions requested in respect of the previous approval are still relevant and should apply to the approval of this application.
- 59. In respect of the previous application LCC Highways requested a contribution of £130,620 to investigate and fund operation of an additional bus service in the area. In respect of the history of this site the outline application secured £368,900 towards sustainable transport improvements. The subsequent Section 73 application reduced the contribution (based upon a decrease in number of houses from 200 to 126) as follows:
 - £83,970 related to the employment land
 - £165,037 related to the residential land
- 60. This application takes the total number of houses back up to approx. 200 which was originally envisaged for the site although it is on the land originally allocated for employment uses and as such LCC consider that the original request of £130,620 is justified as it relates to sustainable transport improvements directly related to housing (i.e. access to shops, employment etc).
- 61. To resolve this issue as part of the previous planning application (on a pure calculation basis) it was calculated that the figure secured from the Arley Homes site equates to £1309 per dwelling. This was translated into the proposed development and equated to a sum of £91,687 (70 x £1309.82) which was secured as part of the legal agreement.
- 62. As Chorley is now a CIL Charging Authority and this scheme will be CIL liable requests for Section 106 contributions should be restricted to the regulation of development and site specific mitigation. To avoid any double charging, planning authorities cannot seek the provision of a contribution towards items included in the Regulation 123 List through S106 obligations, even where they would be justified as site specific remediation. It is considered that the sustainable transport contribution requested as part of this development is directly related to the development in question and the development as part of the wider site and as such is justified in this case. This will be secured as part of the legal agreement.
- 63. The Highway Engineer has raised concerns that the previously approved pedestrian/cycle route linking the site at its western end to the public open space (POS) has been removed in the current proposal. This linked directly to the area of open space within the Arley Homes development and was removed by Rowland Homes when they assessed the developability of the site. Creating this pedestrian link involved significant engineering operations and the creation of a sloped footpath due to the level differences on site. It is considered that the scheme as proposed without the link creates an improved layout in respect of the existing and future residents. The removal of this link does not hinder access to the POS although it will be a lightly longer route for the residents of this development.

- 64. The Engineer has also raised concerns that the previous Highways request for pedestrian/cycle route from the eastern end of the development to Red Bank has not been incorporated. However this land is outside of the applicant's control and would not be possible to secure.
- 65. The proposed houses incorporate sufficient driveway/garage space for the size of dwellings proposed. A number of the integral garages do not meet the Manual for Streets standard of 6x3m garages, however they are large enough to accommodate a car. The storage space which is included within the Manual for Streets garage dimensions in these cases will be secured by the inclusion of a shed.

Community Infrastructure Levy

- 66. The Chorley CIL Infrastructure Charging Schedule provides a specific amount for housing £65 per sq. m. The CIL Charging Schedule was adopted on 16 July 2013 and charging commenced on 1 September 2013. The proposed housing development will be chargeable development.
- 67. This is a full application and the CIL regulations specify that the fall back position of approved schemes can only be taken into account in respect of CIL when a S73 application is submitted. However it is considered that a pragmatic approach is appropriate given that the intention of CIL was never to retrospectively impose CIL charging on approved schemes. As such the extent of approved development is subtracted from the extent of proposed development and CIL is only charged on the uplift created by virtue of the proposed amendments. However in these cases a shorter time limit to commence development is applied to take into account the length of time left on the 'fallback' planning approval. In this case the planning approval has to commence before 29th August 2016 and as such the recommended condition for this planning application is to commence the development within 1 year.
- 68. The previous approval on this site (13/00178/FULMAJ) incorporated the following floor space:

House type/ garage	Size (m²)	Number	Total floor
			space
Туре А	67.9	13	882.7
Туре В	80.4	8	643.2
Type C	87.5	8	700
Type D	80.7	6	484.2
Type E	94.4	1	94.4
Type F	103.7	12	1244.4
Type G	119.7	2	239.4
Type H	116.8	5	584
Type Hs	116.8	3	350.4
Type J	117.1	3	351.3
Type K	131.3	9	1181.7
Single Garage	18	12	216
Double Garage	36	5	180
Total		70	7151.7

69. In respect of the proposed scheme the following floorspace is proposed:

House type/ garage	Size (m²)	Number	Total floor
			space
Type A2	73.3	13	952.9
Type A3	89.3	8	714.4
Type BU	75.6	4	302.4
Type E	79.6	4	318.4
Type C	92.94	6	557.64
Type BOW	128.6	8	1028.8

Type R	134.3	7	940.1
Type BR	167.8	3	503.4
Type BEL	152.7	4	610.8
Type REY	133.2	2	266.4
Type M	163.3	3	489.9
Type H	160.4	3	481.2
Type B	114.9	4	459.6
Type B	114.9	1	114.9
Single Garage	19.84	17	337.28
Double Garage	38.44	4	153.76
Total		70	8231.88

70. The proposed development incorporates 1080.18m² of additional floorspace and as such the CIL liability associated with this development equates to £70,211.70 although if the affordable housing exemption is applied this may be reduced to take into account additional floorspace in respect of the affordable units. (There is 141.4m² of additional affordable housing floorspace which could reduce the CIL levy by £9,191).

Overall Conclusion

8. The erection of 70 dwellings on this site has already been established as acceptable and is considered to be an appropriate use of this site within a sustainable location. The layout has changed when compared to the previous layout however as demonstrated above the layout as proposed ensures that the amenities of the future and existing residents are protected. As such the proposals are recommended for approval subject to the associated legal agreement.

Planning Policies

71. In accordance with s.38 (6) Planning and Compulsory Purchase Act (2004), the application is to be determined in accordance with the development plan (the Central Lancashire Core Strategy, the Adopted Chorley Local Plan 2012-2026 and adopted Supplementary Planning Guidance), unless material considerations indicate otherwise. Consideration of the proposals has had regard to guidance contained with the National Planning Policy Framework (the Framework) and the development plan. The specific policies/ guidance considerations are contained within the body of the report.

Planning History

Reference	Description	Decision	Date
06/00850/CB3	Creation of an access junction off the proposed Eaves Green Link Road (site area 0.31ha).	Approved	November 2006
08/01044/OUTMAJ	Outline application for the erection of a mixed use development incorporating residential and B1 employment use following the demolition of the existing buildings (7.2 hectares).	Approved	December 2008
10/00004/DIS	Application to discharge condition 29 of planning approval 08/01044/OUTMAJ.	Discharged	January 2010
10/00240/DIS	Application to discharge condition 14 of planning approval 08/01044/OUTMAJ.	Discharged	April 2010
10/00888/FULMAJ	Application to vary conditions 11, 12 (ground remediation), 19 (surface water attenuation) and 21 (archaeology) of outline	Approved	11th January 2011

		1	
	planning permission ref: 08/01044/OUTMAJ to enable the site to be developed in phases.		
10/00946/REMMAJ	Reserved Matters application, pursuant to Section 73 planning permission 10/00888/OUTMAJ, proposing full details for the siting, layout, appearance and landscaping for a residential development comprising 135 dwellings at Duxbury Park, Myles Standish Way, Chorley	Approved	February 2011
11/00190/DIS	Application to discharge conditions 6, 8, 9, 12, 13, 14, 19, 21, 22, 24, 26, 27, 28, 29, & 30 attached to planning approval 10/00946/REMMAJ.	Discharged	May 2011
11/00263/FUL	Construction of a temporary junction and access road for use during the construction period.	Approved	May 2011
11/00453/REMMAJ	Section 73 application to vary conditions 1 (approved plans), 4 (approved plans), 10 (finished floor levels in respect of plots 6-8, 80-89 and 126-134), 26 (carbon emissions) and 27 (code for sustainable homes) attached to planning approval 10/00946/REMMAJ	Approved	August 2011
11/01019/REMMAJ	Section 73 application to vary conditions 1 and 4 (approved plans) and 25 and 27 (plot references) attached to planning approval 11/00453/REMMAJ	Approved	April 2012
13/00178/FULMAJ	Erection of 70 residential dwellings, associated garaging, car parking, access arrangements and landscape works.	Approved	August 2013

-

Suggested Conditions

0.	Condition			
1.		elopment must be	begun not later thar	one year from the d
	this permission.			
			Section 51 of the Pl	anning and Compulse
	Purchase Act 2004	ļ		
	 			1 20 4
2.			hall be carried out in	n accordance with the
	following approved	i pians:		
	Title	Plot	Drowing	Received date
	I lue	Piot	Drawing Reference	Received date
	Location Plan		R074/1000	18th May 2015
	A2-2 Block	20 24 22 22		
		20, 21, 22, 23	HT164/P/2/V1-1	18th May 2015
	Plans	20 24 22 22	LITACE/D/OA/A O	40th May 2045
	A2- 2 Block	20, 21, 22, 23	HT165/P/2/V1-2	19th May 2015
	Elevations	40, 41, 42, 43,	HT165/P/3/V2-1	19th May 2015
	A3-3 Block		171 105/P/3/VZ-1	1901 Way 2015
	Plans A3-3 Block	44, 45	HT165/P/3/V2-1	19th May 2015
	Elevations	40, 41, 42, 43, 44, 45	171 105/P/3/VZ-1	1901 Way 2015
	Reynold Floor	1, 10	HT130/P/110	18th May 2015
	Plans	1, 10	Rev A	TOUT Way 2010
	Reynold	1, 10	HT130/P/111	18th May 2015
	Elevations	1, 10	Rev A	Totti May 2015
	Hatton House	6, 58, 62	HT139/P/111	18th May 2015
	Type	0, 30, 62	Rev C	Totti May 2015
	Belgrave House	13, 36, 37, 38	HT146/P/115	18th May 2015
	Type	13, 30, 37, 30	111140/F/113	Totti May 2015
	Bonington Floor	11, 35, 54, 55	HT147/P/110-11	18th May 2015
	Plans (with bay)	11, 33, 34, 33	Rev I	Totti May 2013
	Bonington	11, 35, 54, 55	HT147/P/112-11	18th May 2015
	Elevations (with	11, 33, 34, 33	Rev A	Totti May 2013
	bay)		INCV A	
	Bonington Floor	17	HT147/P/113	18th May 2015
	Plans (without	' '		Total May 2010
	bay)			
	Bonington	17	HT147/P/202-38	18th May 2015
	Elevations			Tour may 2010
	(without bay)			
	Charleston	7, 12, 33, 34,	HT166/P/111	18th May 2015
	House Type	35, 60, 63	Rev A	
	Brantwood	4, 14, 68	HT167/P/100	18th May 2015
	House Type	, , ,	,	
	Materials		R074/3	18th May 2015
	Schedule Plan		1	
	Detached	1, 10, 36, 70,	P/DG/1	18th May 2015
	Double Garage	, -,,,		
	Single	4, 7, 11, 12, 14,	P/SG/1	18th May 2015
	Detached	16, 17, 33, 34,	, , , , ,	
	Garage	35, 54, 55, 60,		
		67, 68		
	Tree Protection	, , , , , , , , , , , , , , , , , , ,	P.532.15.02	18th May 2015
	drawing		. 1002110102	.5
	Proposed Site		J3432.EX02	18th May 2015
	Levels		Rev B	
	(western)		1.000	

Proposed Site		J3432.EX03	18th May 2015
Levels (eastern)		Rev A	
1.8M High close		SD.1 Rev A	18th May 2015
board timber			·
fence			
1.8m high		S.O.46	18th May 2015
screen wall			,
Planning layout		R074/1 Rev A	27th July 2015
Bowes House	2, 5, 9, 49, 50,	HT104/P/111	18th May 2015
Туре	56, 57, 61,	Rev B	
Burlington	46, 47, 64, 65	HT105/P/111	18th May 2015
House Type		Rev C	,
Marlborough	51, 59, 70	HT107/P/110	18th May 2015
floor plans			
Marlborough	51, 59, 70	HT107/P/112	18th May 2015
Elevations		Rev A	
Marlborough	70	HT107/P/210	18th May 2015
floor plans			
Marlborough	70	HT107/P/212	18th May 2015
Elevations		Rev A	
Bonington			18th May 2015
Elevations			
(without bay)			
Elmbridge	8, 16, 66, 67	HT148/P/111	18th May 2015
House Type			
Renishaw	3, 15, 39, 48,	HT149/P/202	18th May 2015
house type	52, 53, 69,	Rev A	
A2- 3 Block	21, 22, 23, 24,	HT164/P/3/V1-1	18th May 2015
Floor Plans	25, 26, 27, 28,		
	29, 30 31, 32		
A2- 3	21, 22, 23, 24,	HT164/P/3/V1-2	18th May 2015
Elevations	25, 26, 27, 28,		
	29, 30 31, 32		
A3- 3 Block	18, 19	HT165/P/2/V1-1	18th May 2015
Plans			
Planting Plan		P.532.15.01	24th June 2015
		Rev A	
Planting		P.532.15.01	24th June 2015
Schedules		Rev A	
Proposed Site		J3432 EX13	21st July 2015
Sections			

Reason: For the avoidance of doubt and in the interests of proper planning

3. No development shall commence until details of the design, based on sustainable drainage principles, and implementation of an appropriate surface water sustainable drainage scheme have been submitted to and approved in writing by the local planning authority.

Those details shall include, as a minimum:

- a) Information about the design storm period and intensity (1 in 30 & 1 in 100 year +30% allowance for climate change), discharge rates and volumes (both pre and post development), temporary storage facilities, the methods employed to delay and control surface water discharged from the site, and the measures taken to prevent flooding and pollution of the receiving groundwater and/or surface waters, including watercourses, and details of floor levels in AOD;
- b) The drainage strategy should demonstrate that the surface water run-off must be as close as reasonable practicable to the greenfield runoff rate and should not exceed the rate of discharge prior to this development which is yet to be

- calculated. The scheme shall subsequently be implemented in accordance with the approved details before the development is completed.
- Any works required off-site to ensure adequate discharge of surface water without causing flooding or pollution (which should include refurbishment of existing culverts and headwalls or removal of unused culverts where relevant);
- d) Flood water exceedance routes, both on and off site;
- e) A timetable for implementation, including phasing as applicable;
- f) Evidence of an assessment of the site conditions to include site investigation and test results to confirm infiltrations rates;
- g) details of water quality controls, where applicable.

The scheme shall be implemented in accordance with the approved details prior to first occupation of any of the approved dwellings, or completion of the development, whichever is the sooner. Thereafter the drainage system shall be retained, managed and maintained in accordance with the approved details.

Reasons

- 1. To ensure that the proposed development can be adequately drained.
- 2. To ensure that there is no flood risk on or off the site resulting from the proposed development
- 4. No development shall commence until details of an appropriate management and maintenance plan for the sustainable drainage system for the lifetime of the development which, as a minimum, shall include:
 - a) the arrangements for adoption by an appropriate public body or statutory undertaker, management and maintenance by a Residents' Management Company
 - b) arrangements concerning appropriate funding mechanisms for its on-going maintenance of all elements of the sustainable drainage system (including mechanical components) and will include elements such as:
 - on-going inspections relating to performance and asset condition assessments
 - operation costs for regular maintenance, remedial works and irregular maintenance caused by less sustainable limited life assets or any other arrangements to secure the operation of the surface water drainage scheme throughout its lifetime;
 - c) means of access for maintenance and easements where applicable. The plan shall be implemented in accordance with the approved details prior to first occupation of any of the approved dwellings, or completion of the development, whichever is the sooner. Thereafter the sustainable drainage system shall be managed and maintained in accordance with the approved details. Reasons
 - To ensure that appropriate and sufficient funding and maintenance mechanisms are put in place for the lifetime of the development
 - To reduce the flood risk to the development as a result of inadequate maintenance
 - 3. To identify the responsible organisation/body/company/undertaker for the sustainable drainage system.
- 5. No development shall take place until a Construction Method Statement has been submitted to, and approved in writing by, the local planning authority. The approved Statement shall be adhered to throughout the construction period. The Statement shall provide for:
 - the parking of vehicles of site operatives and visitors
 - hours of operation (including delivers) during construction
 - loading and unloading of plant and materials
 - storage of plant and materials used in constructing the development
 - the erection and maintenance of security hoarding including decorative displays and facilities for public viewing, where appropriate
 - wheel washing facilities
 - measures to control the emission of dust and dirt during construction

	a scheme for recycling/disposing of waste resulting from demolition and construction works Reason: in the interests of highway safety and to protect the amenities of the nearby residents
6.	The integral/attached and detached garages hereby permitted shall be kept freely available for the parking of cars and shall not be converted to living accommodation, notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995. Reason: To ensure adequate garaging/off street parking provision is made/maintained and thereby avoid hazards caused by on-street parking.
7.	The development hereby permitted shall be carried out in accordance with the recommendations contained within the submitted site investigation reports: PHASE I & PHASE II GEO-ENVIRONMENTAL SITE INVESTIGATION Land off Myles Standish Way, E3P Report: 10022r1 Issued: January 2014
	Upon completion of the remediation works a validation report containing any validation sampling results shall be submitted to the Local Authority for approval.
	The development shall thereafter only be carried out following the remediation of the site in full accordance with the measures identified.
	Reason: To protect the environment and prevent harm to human health by ensuring that the land is remediated to an appropriate standard for the proposed end use
8.	The external facing materials, detailed on the approved plans, shall be used and no others substituted unless otherwise agreed in writing by the Local Planning Authority. Reason: To ensure that the materials used are visually appropriate to the locality.
9.	The development hereby permitted shall not commence until full details of the colour, form and texture of all hard ground-surfacing materials (notwithstanding any such detail shown on previously submitted plans and specification) have been submitted to and approved in writing by the Local Planning Authority. The development shall only be carried out in conformity with the approved details. Reason: The submitted information did not include details of the hard surfacing materials and to ensure that the materials used are visually appropriate to the locality samples are required.
10.	Before the properties hereby permitted are first occupied, the driveways shall be surfaced or paved, drained and marked out all in accordance with the approved plan. The driveways shall not thereafter be used for any purpose other than the parking of and manoeuvring of vehicles. Reason: To ensure adequate on site provision of car parking and manoeuvring areas
11.	All new dwellings are required to achieve a minimum Dwelling Emission Rate of 19% above 2013 Building Regulations. Reason: Policy 27 of the Adopted Central Lancashire Core Strategy requires new dwellings to be built to Code for Sustainable Homes Level 4 however following the Deregulation Bill 2015 receiving Royal Ascent it is no longer possible to set conditions with requirements above a Code Level 4 equivalent. However as Policy 27 is an adopted Policy it is still possible to secure energy efficiency reduction as part of new residential schemes in the interests of minimising the environmental impact of the development.
12.	Prior to the commencement of the development details shall be submitted to and approved in writing by the Local Planning Authority demonstrating that each

dwelling will meet the required Dwelling Emission Rate. The development thereafter shall be completed in accordance with the approved details. Reason: Policy 27 of the Adopted Central Lancashire Core Strategy requires new dwellings to be built to Code for Sustainable Homes Level 4 however following the Deregulation Bill 2015 receiving Royal Ascent it is no longer possible to set conditions with requirements above a Code Level 4 equivalent. However as Policy 27 is an adopted Policy it is still possible to secure energy efficiency reductions as part of new residential schemes in the interests of minimising the environmental impact of the development. This needs to be provided prior to the commencement so is can be assured that the design meets the required dwelling emission rate assured that the design meets the required dwelling emission rate assessment Procedure), or other alternative proof of compliance (which has been previously agreed in writing by the Local Planning Authority) such as an Energy Performance Certificate, has been submitted to and approved in writing by the Local Planning Authority demonstrating that the dwelling has achieved the required Dwelling Emission Rate. Reason: Policy 27 of the Adopted Central Lancashire Core Strategy requires new dwellings to be built to Code for Sustainable Homes Level 4 however following the Deregulation Bill 2015 receiving Royal Ascent it is no longer possible to set conditions with requirements above a Code Level 4 equivalent. However as Policy 27 is an adopted Policy it is still possible to secure energy efficiency reductions as part of new residential schemes in the interests of minimising the environmental impact of the development. 14. The development hereby permitted shall only be carried out in conformity with the approved ground and building slab levels Reason: To protect the appearance of the locality and in the interests of the amenities of neighbouring properties. 15. Notwithstanding the provisions of the Town and Country Planning (General Permitted		
Assessment Procedure), or other alternative proof of compliance (which has been previously agreed in writing by the Local Planning Authority) such as an Energy Performance Certificate, has been submitted to and approved in writing by the Local Planning Authority demonstrating that the dwelling has achieved the required Dwelling Emission Rate. Reason: Policy 27 of the Adopted Central Lancashire Core Strategy requires new dwellings to be built to Code for Sustainable Homes Level 4 however following the Deregulation Bill 2015 receiving Royal Ascent it is no longer possible to set conditions with requirements above a Code Level 4 equivalent. However as Policy 27 is an adopted Policy it is still possible to secure energy efficiency reductions as part of new residential schemes in the interests of minimising the environmental impact of the development. 14. The development hereby permitted shall only be carried out in conformity with the approved ground and building slab levels Reason: To protect the appearance of the locality and in the interests of the amenities of neighbouring properties. 15. Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 2015, (Schedule 2, Part 1, Classes A to E), or any Order amending or revoking and re-enacting that Order, no extensions or external alterations shall be undertaken to the dwellings hereby permitted on plots 1-3 (inclusive), 5-10 (inclusive), 11-14 (inclusive), 17-33 (inclusive), 35-38 (inclusive), 40-47 60-62 (inclusive), 52-57 60-62 (inclusive) and the amenity of the future occupiers of the approved dwellings and those surrounding the site. 16. All hard and soft landscape works shall be carried out in accordance with the approved details within the first planting and seeding seasons following the occupation of any buildings or the completion of the development, whichever is the sooner, and any trees or plants which within a period of 5 years from the completion of the development, whichever is the sooner, and any trees o		thereafter shall be completed in accordance with the approved details. Reason: Policy 27 of the Adopted Central Lancashire Core Strategy requires new dwellings to be built to Code for Sustainable Homes Level 4 however following the Deregulation Bill 2015 receiving Royal Ascent it is no longer possible to set conditions with requirements above a Code Level 4 equivalent. However as Policy 27 is an adopted Policy it is still possible to secure energy efficiency reductions as part of new residential schemes in the interests of minimising the environmental impact of the development. This needs to be provided prior to the commencement so is can be assured that the design meets the required dwelling emission rate
approved ground and building slab levels Reason: To protect the appearance of the locality and in the interests of the amenities of neighbouring properties. 15. Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 2015, (Schedule 2, Part 1, Classes A to E), or any Order amending or revoking and re-enacting that Order, no extensions or external alterations shall be undertaken to the dwellings hereby permitted on plots 1-3 (inclusive), 5-10 (inclusive), 11-14 (inclusive), 17-33 (inclusive), 35-38 (inclusive), 40-47 60-62 (inclusive), 52-57 60-62 (inclusive), 60-62 (inclusive), 66-67 (inclusive), 69-70 (inclusive), Reason: To protect the appearance of the locality and the amenity of the future occupiers of the approved dwellings and those surrounding the site. 16. All hard and soft landscape works shall be carried out in accordance with the approved details within the first planting and seeding seasons following the occupation of any buildings or the completion of the development, whichever is the sooner, and any trees or plants which within a period of 5 years from the completion of the development die, are removed or become seriously damaged or diseased shall be replaced in the next planting season with others of similar size and species. Reason: To ensure that a satisfactory landscaping scheme for the development, mitigate the loss of potential habitats and secure a high quality design.	13.	Assessment Procedure), or other alternative proof of compliance (which has been previously agreed in writing by the Local Planning Authority) such as an Energy Performance Certificate, has been submitted to and approved in writing by the Local Planning Authority demonstrating that the dwelling has achieved the required Dwelling Emission Rate. Reason: Policy 27 of the Adopted Central Lancashire Core Strategy requires new dwellings to be built to Code for Sustainable Homes Level 4 however following the Deregulation Bill 2015 receiving Royal Ascent it is no longer possible to set conditions with requirements above a Code Level 4 equivalent. However as Policy 27 is an adopted Policy it is still possible to secure energy efficiency reductions as part of new residential schemes in the interests of minimising the environmental
Permitted Development) Order 2015, (Schedule 2, Part 1, Classes A to E), or any Order amending or revoking and re-enacting that Order, no extensions or external alterations shall be undertaken to the dwellings hereby permitted on plots 1-3 (inclusive), 5-10 (inclusive), 11-14 (inclusive), 17-33 (inclusive), 35-38 (inclusive), 40-47 60-62 (inclusive), 52-57 60-62 (inclusive), 60-62 (inclusive), 66-67 (inclusive), 69-70 (inclusive), Reason: To protect the appearance of the locality and the amenity of the future occupiers of the approved dwellings and those surrounding the site. 16. All hard and soft landscape works shall be carried out in accordance with the approved details within the first planting and seeding seasons following the occupation of any buildings or the completion of the development, whichever is the sooner, and any trees or plants which within a period of 5 years from the completion of the development die, are removed or become seriously damaged or diseased shall be replaced in the next planting season with others of similar size and species. Reason: To ensure that a satisfactory landscaping scheme for the development, mitigate the loss of potential habitats and secure a high quality design.	14.	approved ground and building slab levels Reason: To protect the appearance of the locality and in the interests of the
approved details within the first planting and seeding seasons following the occupation of any buildings or the completion of the development, whichever is the sooner, and any trees or plants which within a period of 5 years from the completion of the development die, are removed or become seriously damaged or diseased shall be replaced in the next planting season with others of similar size and species. Reason: To ensure that a satisfactory landscaping scheme for the development, mitigate the loss of potential habitats and secure a high quality design.	15.	Permitted Development) Order 2015, (Schedule 2, Part 1, Classes A to E), or any Order amending or revoking and re-enacting that Order, no extensions or external alterations shall be undertaken to the dwellings hereby permitted on plots 1-3 (inclusive), 5-10 (inclusive), 11-14 (inclusive), 17-33 (inclusive), 35-38 (inclusive), 40-47 60-62 (inclusive), 52-57 60-62 (inclusive), 60-62 (inclusive), 66-67 (inclusive), 69-70 (inclusive), Reason: To protect the appearance of the locality and the amenity of the future
17. During the construction period, all trees to be retained shall be protected in	16.	approved details within the first planting and seeding seasons following the occupation of any buildings or the completion of the development, whichever is the sooner, and any trees or plants which within a period of 5 years from the completion of the development die, are removed or become seriously damaged or diseased shall be replaced in the next planting season with others of similar size and species. Reason: To ensure that a satisfactory landscaping scheme for the development,
accordance with British Standard BS 5837:2012 or any subsequent amendment to the British Standards. Reason: To safeguard the trees to be retained	17.	the British Standards.
18. Prior to the commencement of any development, details of the foul drainage scheme shall be submitted to and approved in writing by the Local Planning Authority.	18.	scheme shall be submitted to and approved in writing by the Local Planning
Foul shall be drained on a separate system. No building shall be occupied until the		Foul shall be drained on a separate system. No building shall be occupied until the

approved foul drainage scheme has been completed to serve that building, in accordance with the approved details. This development shall be completed maintained and managed in accordance with the approved details. Reason: To ensure suitable drainage is provided for the dwellings hereby approved, this is required prior to the commencement of the construction of the dwellinghouses to ensure that a suitable scheme can be put in place at the appropriate time. 19. Should, during the course of the development, any contaminated material other than that referred to in the investigation and risk assessment report and identified for treatment in the remediation proposals be discovered, then the development should cease until such time as further remediation proposals have been submitted to and approved in writing by the Local Planning Authority. Reason: To protect the environment and prevent harm to human health by ensuring that the land is remediated to an appropriate standard for the proposed end use. In accordance with Paragraph 121 of the National Planning Policy Framework (DCLG, 2012). 20. Before the development hereby permitted is first commenced, full details of the alignment, height and appearance of all fences and walls and gates to be erected (notwithstanding any such detail shown on previously submitted plans) shall have been submitted to and approved in writing by the Local Planning Authority. No dwelling shall be occupied until all fences and walls shown in the approved details to bound its plot have been erected in conformity with the approved details. Other fences and walls shown in the approved details shall have been erected in conformity with the approved details prior to substantial completion of the development. Reason: Full details of acceptable boundary treatments were not provided as part of the application (the use of 0.9m high post and rail fences to delineate rear gardens is not considered to be appropriate as they do not create private rear gardens) and in order to ensure a visually satisfactory form of development and to provide reasonable standards of privacy to residents. No dwelling on plots 2, 3, 5, 6, 9, 13, 15, 36, 37, 38, 39, 48, 49, 50, 52, 53, 56, 57, 21. 58, 61, 62, 69 and 70 hereby permitted shall be occupied until garden sheds have been provided in accordance with plans which have been submitted to and approved in writing by the Local Planning Authority. The garden sheds shall be retained in perpetuity thereafter. Reason: The garages are smaller than would normally be provided and therefore to ensure sufficient storage/cycle storage is provided at the properties in accordance with Manual for Streets Notwithstanding the provisions of the Town and Country Planning (General 22. Permitted Development) Order 2015 (or any Order revoking or re-enacting that Order, with or without modification), no windows/doors other than those expressly authorised by this permission shall be inserted or constructed at any time in the: East elevation of plot 10 South elevation of plot 13 South elevation of plot 19 South elevation of plot 24 North elevation of plot 32 North elevation of plot 33 West elevation of plot 37 North elevation of plot 42 South elevation of plot 40 North elevation of plot 48 South elevation of plot 51

	East elevation of plot 66
	Last elevation of plot of
	Reason: To protect the amenities and privacy of the adjoining properties
23.	All windows and doors in the: North elevation of plot 33 North elevation of plot 42 South elevation of plot 51 East elevation of plot 66 hereby permitted shall be fitted with obscure glass and obscure glazing shall be retained at all times thereafter. The obscure glazing shall be to at least Level 3 on the Pilkington Levels of Privacy, or such equivalent as may be agreed in writing by the local planning authority.
24.	Reason: In the interests of the privacy of occupiers of neighbouring properties. Prior to the occupation of the first dwellinghouse hereby approved, full details of the Management Company to deal with the future management and maintenance of the site shall be submitted to and approved in writing by the Local Planning Authority. The site shall thereafter be managed by the approved Management Company. Reason: No details of the management arrangements form part of the submission information and to ensure the satisfactory management of the private driveways, resident's parking spaces and landscaped areas full details are required.
25.	Prior to the occupation of any of the dwellings hereby approved details of the proposed arrangements for future management and maintenance of the proposed streets within the development shall be submitted to and approved by the local planning authority. The streets shall thereafter be maintained in accordance with the approved management and maintenance details until such time as an agreement has been entered into under section 38 of the Highways Act 1980 or a private management and Maintenance Company has been established. Reason: To ensure that the estate streets serving the development are maintained to an acceptable standard in the interest of residential / highway safety.
26.	Prior to the construction of any of the streets referred to in the previous condition full engineering, drainage, street lighting and constructional details of the streets shall be submitted to and approved in writing by the Local Planning Authority. The development shall, thereafter, be constructed in accordance with the approved details. Reason: In the interest of highway safety; to ensure a satisfactory appearance to the highways infrastructure serving the approved development; and to safeguard the visual amenities of the locality and users of the highway.